

The Finishing Touch

Convenient online fanfolder

Océ 2400 fanfold

you can

Whether you're an architect checking designs or an engineer printing out work drawings, you want your drawings quickly. Without wasting time sorting, trimming and folding them. So you can easily find the information you need. Get the easy finishing touch with the Océ 2400 online fanfolder.



Save time with online folding

With this system, you can immediately pick up neatly fanfolded colour and monochrome drawings and extra-long plots from the printer. In a very short time frame you are able to find your drawings and continue with your main tasks. As the prints are already fanfolded, senior staff such as engineers and architects do not have to waste their time folding the drawings. Say goodbye to creased pages and time wasted in wrestling with awkward drawings. Reading a set of fanfolded documents is as easy as turning the pages in a book, versus handling large flat sheets. This is a real time saver when different users are printing on one system.

Handle new applications with your printer

Now you can quickly produce ready-to-use fanfolded maps, such as cartographic and topo-cadastral maps, using the narrow fold option, which can fanfold documents with a minimum width of 100 mm (4").

Long plots of 6000 mm (236") or more - common for manufacturing and utilities - can be easily handled as well. This system has a special program that produces one compact package for extra-long documents.

Easy folding from your desktop*

For extra convenience, you can choose the folding options you want right from your desktop. Simply use the Océ Windows® Printer Driver or the Océ job submission tool Océ Print Exec® Workgroup (PEWG) to make it happen.

Keep your desk clean and organised

Work more productively with neatly folded documents, organised according to your own system. No more hunting for information. Everything is at your fingertips.

Canon



Standard folding packages,



Standard folding packages with binding edge



Narrow fold for map folding

Paper handling	
Paper feed	Automatic or manual
Paper width	279 - 930 mm; 11 - 36.6"
Paper length	210, 420 mm - unlimited; 8¼, 16½" - unlimited
Paper weight	60 - 110 g/m ² ; 16 - 30 lb
Paper type	Bond paper, plain paper, others on request
Folding	
Technology	High precision rollers technology
Folding speed	Fanfold: synchronised with print speed Crossfold: 4 m; 13ft/min (manual feed only)
Output delivery	3 folded packages (A0 ; E-size)
Fanfold, automatic	Panel width adjustable from 100 - 420 mm; 7 - 16" (in increments of 1 mm; ¼")
Binding edge	0 - 30 mm; 0 - 1¼" (in increments of 1 mm; ¼")
Crossfold, manual	Adjustable 200 - 420 mm; 7 - 16"
Folded package width	100 - 420 mm; 7 - 16"
Folding standards	DIN B24, AFNOR, ANSI, US sizes
Folding accuracy	Exceeding DIN B24 specifications
Folding programs	4 standard programs + 4 custom programs (unlimited with the Océ ColorWave 650)
Environmental data	
Dimensions (WxDxH)	1350 x 1310 x 1020 mm; 4.43 x 4.30 x 3.35 ft
Weight	165 kg; 437 lbs (in crate 198 kg; 524.4 lbs)
Sound pressure	Operating: 52 dB (A)
Ambient temperature	15 - 35 °C; 59 - 95 °F
Humidity	20 - 80 % (not condensing)
Power requirements (V/Hz/A)	AC 115/230 V / 50/60 Hz / 6/3 A

Configurations



Océ 2400 fanfold +
Océ ColorWave 550 &
Océ ColorWave 650



Océ 2400 fanfold +
Océ ColorWave 300



Océ 2400 fanfold +
Océ TCS500



Océ 2400 fanfold +
Océ PlotWave 350

* The level of integration depends on the type of printer that the folder is connected to.
For detailed information please contact your local sales representative.

All specifications subject to change without notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.



Canon Inc.
canon.com

Canon Europe
canon-europe.com

English
© Canon Europa N.V., 2013

Canon (UK) Ltd
Woodhatch
Reigate
Surrey
RH2 8BF
Tel: 01737 220000
Fax: 01737 220022
canon.co.uk

Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co.Dublin,
Ireland
Tel: 01 2052400
Fax: 01 2052525
canon.ie